

SGLOCKS

Newsletter

February
2020
ISSUE 69

Scar Plates



JMA Nomad

MLAA Branch Meetings



**SG Lock
& Security**

www.sglocks.com.au



MLAA LOCK

All locksmiths, lo

SIEPER Group are p

3

QUEENSLAND

Friday 6 March
6:00 pm to 9.00 pm
Oche
111 Constance Street
Fortitude Valley
Queensland



2

NEW SOUTH WALES

Tuesday 3 March
6.00 pm to 9.00 pm
S G Locks
101 - 109 Deakin Street
Silverwater
Foodtruck & Drinks supplied



1

VICTORIA

Tuesday 25 February
6.00 pm to 9.00 pm
The Deck
Urban Alley Brewery
12 Star Circus
Docklands
Parking available from \$10



4

WESTERN AUSTRALIA

Tuesday 10 March
6:00 pm to 9.00 pm
Northbridge Brewing Co.
44 Lake Street
Northbridge
Western Australia



5

SOUTH AUSTRALIA

Wednesday 11 March
6.00 pm to 9.00 pm
Pirate Life
18 Baker Street
Port Adelaide
South Australia



ORIGINAL LISHI TOOLS

Refresher training on the LISHI Domestic range.

Picking competition on the Night Winner at each meeting will Win a FREE LW5 Pick/Decoder

WIN



SMITH MEETINGS

Locksmith staff & apprentices are welcome to attend

Proud to be hosting the first round of 2020 MLAA Branch Meetings across Australia



ML20
Inline Restricted Key System


6

AUCKLAND (NZ)

Tuesday 17 March
6.00 pm to 9.00 pm
Richmond Yacht Club
Herne Bay
Auckland



Be the 1st to see the
NEW ML20
Inline Restricted keying system.
All 4x brochures will be on
display! **NEW**



LOCKTON

See the New Lockton Furniture,
Mortice locks, New Scar Plates &
grab the New Lockton Commercial
catalogue

NEW



WIN

JMA

See the New JMA Nomad
Mobile Key Machine in Action.
RSVP & Turn up to your local
MLAA branch meeting to go
into the draw to WIN a brand
new NOMAD.

*Winner will be announced in our April
Newsletter

NEW

RSVP to Cole Cullen .
cole@siepergroup.com
ph: 0404 808 807



JMA[®]



NOMAD

LIGHTWEIGHT AND COMPACT
DUPLICATING MACHINE

NEW





MICROMETRIC ADJUSTMENT

THIS CALIBRATION SYSTEM ALLOWS AN
EXACT ADJUSTMENT OF THE TRACER
AND GUARANTEES CUT PRECISION

4 WAY ERGONOMIC JAWS

HIGH QUALITY STEEL JAWS FOR PRECISION
CUTTING. FOUR WAY JAWS ALLOW GREATER
EASE AND RELIABILITY IN THE CLAMPING OF
THE KEYS



XL JAW DISTANCE

EXTRA LARGE SPACE (92MM) BETWEEN JAWS TO
ACCOMMODATE LARGER STYLE KEYS (ESPECIALLY
AUTOMOTIVE FLIP KEYS), WITHOUT THE NEED TO
DISASSEMBLE KEY BLADES.



1st

See it 1st at your state's
MLAA Branch Meeting


DESIGNED & BUILT FOR THE MOBILE LOCKSMITH

PRECISION, LIGHTWEIGHT & COMPACT
DESIGN THAT DELIVERS HIGH QUALITY KEY
DUPLICATION.



NYLON ABRASIVE BRUSH

HELPS TO ACHIEVE THE PERFECT FINISH OF THE DUPLICATE
KEY. IN ADDITION BEING MADE OF NYLON PREVENTS THE
OPERATOR FROM SUFFERING ACCIDENTAL CUTS WHILE
WORKING WITH THE MACHINE



FLUID MOVEMENT OF THE CARRIAGE

THE CARRIAGE OFFERS SMOOTH WHEEL MOVEMENTS WHICH
FACILITATES DUPLICATION AND REDUCES THE FORCE NEEDED
TO OPERATE THE MACHINE

TECHNICAL DATA

Cutter	FP11 HSS (Ø 63 x 5 x 16) / FP 32 (Ø 63 x 2, 4 x 16)
Clamps	Reversible 4 faced
Width	266mm
Height	215mm
Depth	165mm
Weight	6.5kg
Speed	2800 rpm
Useful Run	X=53 mm
Transmission	Ribbed belts


MOTOR DATA

Nomad	220 VCD - 150 W
-------	-----------------


CALL FOR PRICING

See the full range at
www.sglocks.com.au

STAINLESS & ALUMINIUM SCAR PLATES



PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE ex. GST
SP-201-SS	Stainless Steel	75x75 SS Plate 1.2mm thick with 5xHoles. Suits 201 Style Patch/Repair	CALL FOR PRICING
SP-201-AL	Aluminium	75x75 Aluminium Plate 2.5 mm thick with 5xHoles. Suits 201 Style Patch/Repair	CALL FOR PRICING



PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE ex. GST
SP-WP-SS	Stainless Steel	195x75 SS Plate 1.2mm thick with Mortice cut out. Suits 3572-Wide plate style Patch/Repair	CALL FOR PRICING
SP-WP-AL	Aluminium	195x75 Aluminium Plate 2.5 mm thick with Mortice cut out. Suits 3572-Wide plate style Patch/Repair	CALL FOR PRICING



PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE ex. GST
SP-NP-SS	Stainless Steel	200x36 SS Plate 1.2mm thick with Mortice cut out. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING
SP-NP-AL	Aluminium	200x36 Aluminium Plate 2.5 mm thick with Mortice cut out. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING

STAINLESS & ALUMINIUM BLANK PLATES



PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE ex. GST
BP-75-75-SS	Stainless steel	75x75 Blank SS Plate 1.2mm thick. Suits 201 Style Patch/Repair	CALL FOR PRICING
BP-75-75-AL	Aluminium	75x75 Blank Aluminium Plate 2.5 mm thick. Suits 201 Style Patch/Repair	CALL FOR PRICING



PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE ex. GST
BP-195-75-SS	Stainless steel	195x75 Blank SS Plate 1.2mm thick .Suits 3572-Wide plate style Patch/Repair	CALL FOR PRICING
BP-195-75-AL	Aluminium	195x75 Blank Aluminium Plate 2.5 mm thick. Suits 3572-Wide plate style Patch/Repair	CALL FOR PRICING



PART NUMBER	MATERIAL	DESCRIPTION	TRADE PRICE ex. GST
BP-200-36-SS	Stainless steel	200x36 Blank SS Plate 1.2mm thick. Suits 3582-Narrow plate style Patch/Repair	CALL FOR PRICING
BP-200-36-AL	Aluminium	200x36 Blank Aluminium Plate 2.5 mm thick. Suits 3582- Narrow plate style Patch/Repair	CALL FOR PRICING





ML20

Inline Restricted key System

Complete Multi-Broach System Released Simultaneously

No Waiting years to be able to do Larger or multiple Sites.

Design & Create Systems with expansion from the very start.



Australian Design

Designed in Australia by Locksmiths for Locksmiths.

Protection

Design Registration provides 10 Years Legal Protection against Unauthorised Key Duplication/Production

Trusted

Trademarked Key Head recognised & trusted by Security professionals and End users throughout Australia & New Zealand.

Complete

Complete range of Barrels to suit almost every type of Lock to ensure you can get the job done!

Quality

High Quality Nickel Silver Keys designed to be extremely strong and durable.
Precision colour inserts for easy identification.

To Register your interest or apply for ML20 agreement information.
Contact Cole Cullen via
ph : 0404 808 807 or
email: cole@siepergroup.com



ORIGINAL LISHI TOOLS

WORLD 1st DOMESTIC
LISHI 2 in 1 PICK RANGE

PATENT PENDING



FEB-MARCH SPECIAL PRICING
STOCK UP ON YOUR FAVOURITE INLINE LISHI PICKS



AUS/NZ INLINE RANGE

Art. No	Description	1+ ex. GST	2+ ex. GST	3+ ex. GST
LP-LW4-AG	Suits Keyways C4 (5 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING
LP-LW5-AG	Suits Keyways C4 (6 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING
LP-TE2-AG	Suits Keyways TE2 (5 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING



USA INLINE RANGE

Art. No	Description	1+ ex. GST	2+ ex. GST	3+ ex. GST
LP-SC1-AG	Suits Keyways SC1 (5 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING
LP-SC4-AG	Suits Keyways SC4 (6 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING
LP-KW1-AG	Suits Keyways KW1 (5 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING
LP-KW5-AG	Suits Keyways KW5 (6 Pin)	CALL FOR PRICING	CALL FOR PRICING	CALL FOR PRICING

EXCLUSIVE to **SGLOCKS**

EMERGENCY RESPONSE KIT

February Special



"Designed by first responders, the Emergency Response Kit has all the tools that you need to get into most vehicle on the road in an emergency situation."

Art. ASL
SMART LOCKOUT LIGHT

FREE



*Feb-March 2020 Only

- 1 Wonder Shield
- 2 Glassman Tool For Frameless Windows
- 3 Super Air Jack Air Wedge
- 4 One Hand Jack Tool
- 5 Super One Hand Jack Tool
- 6 Remote Control Button Master
- 7 Flexible Long Reach Tool
- 8 Snap 'N' Lock
- 9 Quick Car Opening Manual (Includes CD)
- 10 Heavy Duty Carrying Case

Art. ERK

**CALL FOR
PRICING**



To see the full range of ACCESS TOOLS products, go to
www.sglocks.com.au



NEW



Expands
50-70mm

Fits any Remote with
50 mm - 70 mm
Height or Width



Art. #SGT-CLIP

CALL FOR PRICING



Combi-Line

FINGERSCAN

NEW



CL60-E-FS

-  FingerScan & Digital Keypad
-  30 Min Fire rating
-  \$33,000 Insurable Rating
-  Floor & Wall fixing options
-  111 kg / 78 Litre capacity

Introductory Pricing
CALL FOR PRICING

RRP: \$2035.00 incl. GST



Art . No	Exterior H x W x D	Interior H x W x D	Door H x W (Opening)	Weight	Content
CL 60 E FS	820 x 495 x 445 mm	694 x 380 x 297 mm	694 x 324mm	111 kg	78 Litres



NSW BRANCH MEETING

All locksmiths, locksmith staff & apprentices are welcome to attend

6.00 pm - Monday 17th February 2020
SG LOCKS 101- 109 Deakin St, Silverwater NSW 2128
Food & Light Refreshments from 6.30pm



See the New Lockton Furniture, Mortice locks, New Scar Plates & grab the New Lockton Commercial catalogue



See the New JMA Nomad Mobile Key Machine in Action.



Lishi Domestic refresher training & Picking competition with Prizes.



Everyone who attends will receive a gift + go in a draw to receive a Locksmith toolkit. (See below)

TO BE WON ON THE NIGHT



XTOOL

NEW SOFTWARE RELEASE ON

MAZDA AVAILABLE NOW

**MAZDA
2017+
Pincode
Bypass**

ONLY 7 MINUTE
CALCULATION TIME



V26.79

MODELS INCLUDE:

Mazda 2 - 2017 +

Mazda 3 - 2017 +

Mazda 6 - 2017 +

Mazda CX3 - 2017 +

Mazda CX5 - 2017 +

Mazda MX5 - 2017 +

Mazda CX9 - 2017 +

PROGRAMMABLE WITH

✓ FLEX

✓ SGT XTOOL



STRONGARM

SAFES DRILLS & RIGS

THE **NEW** STRONGARM 2

WHY INTRODUCE STRONGARM 2 ?

It's not a question of being better than the original StrongArm it's an addition to the StrongArm line of safe drills and another weapon for the safe technician's arsenal for drilling safes. Some safes drill best with the original StrongArm and on other safes the StrongArm 2 is best. The technician should stock some of each to be prepared to concur any safe they need to drill.

Special tip utilizing a 120 ° angle

Aggressive Cutting - 5 Axis Diamond Ground Titanium Tungsten Carbide Tips designed to Cut most Stone, Metal & Safe components.

Made from Chrome Moly Steel

Vacuum Brazed with Copper to withstand Extreme temperatures

Double Channel Fluting

Fluting designed for quick removal of materials to reduce clogging or binding in hole.

STRONGARM 2			
Dia. Ø (mm)	Length (mm)	Art.	CALL FOR PRICING
5	85	#2-364	CFP
6	100	#2-144	CFP
6	150	#2-146	CFP
8	125	#2-565	CFP
8	200	#2-568	CFP

STRONGARM ORIGINAL

STRONGER CARBIDE - Specially Formulated Micro-Grain Titanium Tungsten Carbide tips. Unique geometric tips are diamond ground to razor sharpness.

STRONGER BRAZING - Ultra high temperature Copper braze adds strength and reduces tip failure from over heating.

STRONGER SHANK - High grade, Chrome-Moly steel shanks, tempered for extra durability.

Dia. Ø (mm)	Length (mm)	Art.	CALL FOR PRICING	Dia. Ø (mm)	Length (mm)	Art.	CALL FOR PRICING	Dia. Ø (mm)	Length (mm)	Art.	CALL FOR PRICING
3	85	#184	CFP	8	125	#565	CFP	10	300	#3812	CFP
3	150	#186	CFP	8	200	#568	CFP	10	600	#3824	CFP
5	100	#364	CFP	8	300	#5612	CFP	12	150	#126	CFP
6	100	#144	CFP	8	600	#5624	CFP	12	300	#1212	CFP
6	150	#146	CFP	10	125	#385	CFP	12	600	#1224	CFP
6	300	#1412	CFP	10	200	#388	CFP				

MUSTANG 2015+ ALL KEYS LOST- WITH XTOOL

The purpose of this months tech tip is to shed some light on making keys to Ford Mustang Proximity 2015+ vehicles in an All keys Lost situation- with XTOOL. This vehicle is fitted with an OEM alarm system that cannot be bypassed or overridden that locks the PATS system from accepting any commands from the XTOOL. The SGT tech team have developed a specific procedure to make your next All Keys Lost with this vehicle a walk in the park.

Gaining Access:

The Lishi pick LP# HU101-AG used on all previous models (falcon, focus etc.) can be used to open & decode the vehicles door lock. However you will find that on some models the 1st cut is missing & the Axis A & B on this tool may be misguiding. To explain, the where the tool shows that position 3 needs to be pushed up may need to be pushed down etc. Ultimately the tool will still decode the cuts perfectly and the 1st cut can be searched for on Instacode or equivalent software.

Steps:

1. Once the vehicle has been opened the Alarm will sound and the Indicators will Flash. With the Drivers door Open Lock the mechanism, this will turn OFF the door indicator light so that the vehicle thinks the doors are shut. (see below)



2. Using some tape, Cover the 2x Ultrasonic sensors located above the rear view mirror. (see below)



4. Wait for the Panic Alarm to finish, this can take from 1-3 minutes. Leave the vehicle alone!
 - DO NOT sit in the vehicle.
 - DO NOT Open the door OR touch the windows
 - DO NOT Select any functions on the XTOOL
 any of this will re-trigger the alarm and the wait time will be greater.

5. After the Panic alarm has finished the Hazard indicators and internal lights will continue to flash, this will continue for about 3-5 minutes.

6. Following this the internal light will stay on for about 6 minutes. Following this an audible Beep (car horn) will be heard from the vehicle to indicate that the PATS programming is now possible.

7. Follow the prompts on the XTOOL the rest is straight forward.

8. The Key programming slot is located in the Cupholder under a rubber insert. (see below)



SG Tech Team

Want to get in touch or have an enquiry for the SG Tech Team? Call us on (02) 9352 0604


Online Promo FREE

with online orders
over \$590.00*



Rigid steel rule

- hard-rolled spring band steel
- Matt finish allows good reading
- EC accuracy class II



Limit of 1 promotional item per customer, per week, during the promotional period, or while stocks last. Order total excludes GST.



www.facebook.com/SG.LockandSec



Head Office
PH : 02 9352 0600
FAX: 02 9748 0566


Your Sales
Managers:




Cole Cullen
0404 808 807



Vince Carson
0437 770 576



Jason Baker
0438 909 840



Henry Guldon
0400 613 714



NZ Toll Free
0800 00 15 98